



Evolution
Life

LIÙ PIETRA MARLENA

The Liù Pietra Marlena is a contemporary style wood burning stove included in the new range of Evolution line products by La Nordica. This model is manufactured from enamelled cast iron with a curved cast iron door. The body of the stove is wrapped with a natural stone carved from a solid block providing an extra level of style. The Liù Pietra Marlena has a nominal power output of 6.0kW and meets the latest “benchmark” German certification standards as well as Australian standards.

Dimensions

Overall

Width	528mm
Height	1107mm
Depth	489mm
Weight	195kg

Firebox Opening

Width	270mm
Height	375mm

Firebox Internal Dimensions

Width	295mm
Height	420mm
Depth	310mm

Flue Specifications

Diameter, adapter inc.	150mm
Centre of flue to rear of fire	259mm

Special Features

- Nominal output 6.0kW, average peak output 7.8kW
- Large viewing window (CGC)
- Cast iron construction
- Curved cast iron door
- Natural Stone Fascia
- Ergonomic handle
- Removable ash drawer
- Adjustable Primary and Secondary Air
- Particle emissions: 1.1g/kg
- Efficiency: 62% (AS/NZS4012/4013), 86.5% (EUROPEAN)*
- Wood consumption: 1.6kg/hr @ medium burn rate





La Nordica Evolution Line

The Evolution Line is a new range of products designed to meet the new needs of consumers who are increasingly attentive to details and performance. Each element is characterised by highly technological equipment that improves everyday use and at the same time reduces the need for frequent maintenance, while ensuring high reliability. The high quality standards of the components and careful design for safety make these appliances an ideal choice for those who want something special in their own home, as well as the attentive design.

Clearances

Combustible Rear Wall

Side Clearance	475mm
Rear Clearance	200mm
Front Hearth	300mm
Min. Hearth Width	670mm

Combustible Corner Wall

Corner Clearance	300mm
------------------	-------

To achieve stated clearances to heat sensitive materials one 900mm length of heat shield must be fitted to the flue above the fire in accordance to AS/NZS 2918:2018. This can include half-moon shields or decro-mesh approved kits.

Certification

- AS/NZS 4012/4013 (2014) (Australia)
- 15a B-VG (Austria)
- BlmSchV (Germany)
- Flamme VERTE Le Label du chauffage au bois (France)
- Certificazione aria PULITA 4 Stars, AE5-P-048 (Italy)
- D.M. 186/2017 4 Stars
- Calore e Risparmio Rispetta L'ambiente Conto Termico (Italy)

***IMPORTANT NOTE:** According to the AS/NZS 4012/4013 efficiency, 4 logs (5.4Kg) were used for testing. The manufacturers recommendation is 2 logs (2.5Kg) which will result in higher efficiency and less wood used while achieving same heat output.

BBC Bring Back Breath into Combustion

Air intake system that takes combustion fresh air from the outside leading it directly into the appliance.

CGC Clean Glass Control

A System to preheated air which removes any deposits from forming on the hearth door glass.

PCS Post Combustion System

The combustion system developed by La Nordica allows, due to a secondary/tertiary air system, a post combustion which significantly reduces emissions.

RDT Resistant Door at the Time

La Nordica-Extraflame appliances doors are manufactured in high quality cast iron.

Nordiker®

La Nordica uses a special patented highly resistant material allowing very high combustion temperatures, resulting in higher efficiency and lower emissions.

For more information visit
www.kaminus.com.au

